

Index

- 01-sequence, 155, 431
- \doteq , 216, 286
- A_w , 161
- A_α , 311
- additive group
 - cohomology of, 25
 - fixed point of, 70
- adjoint group, 284, 378
- AJSB formula, 359–361, 368
- approximation space, x , 3, 14–18, 27, 208, 329, 381–383, 442
- Atiyah-Bott formula, 83
- Atiyah-Bredon sequence, 118, 132
- $\mathbb{B}G$, 1
- balanced product, 12, 14
- Berline-Vergne formula, 83
- Białynicki-Birula decomposition, 81, 84, 103
- bialternant, 43, 140, 254
- bilinear form
 - symplectic, 242
 - W -invariant, 285
- Billey’s formula, 359–361, 368
- blowup
 - cohomology of, 86–89
 - fixed points, 88
 - tangent space, 88
- Borel
 - construction, ix, 1, 3
 - presentation, 300–304, 358
 - seminar on transformation groups, ix, 1, 8, 83
 - subgroup, 24, 61, 162, 281
- Borel-Moore homology, 396–397
- Bott-Samelson variety, 345–358
 - as balanced product of compact groups, 355
 - as balanced product of parabolics, 351
 - as configuration space, 345
 - as tower of \mathbb{P}^1 -bundles, 345
 - cell decomposition, 347
 - cohomology of, 356–358
 - desingularizes Schubert variety, 349–350
 - fixed points, 346–347
 - invariant curves, 350
 - tangent space, 347–348
- braid relation, 175
- Bruhat decomposition, 163, 199, 286, 289, 292
- Bruhat order, 167–170, 189, 263, 288–289
 - covering relation, 371
 - induction on, 174
 - subword criterion, 170, 288, 359, 369
 - tableau criterion, 167

- BSDH variety, 368, *see also*
 Bott-Samelson variety
- $C(w)$, 286
 $c_\alpha(v, w)$, 375
 $c_{\lambda\mu}^v$, 145
 c_{uv}^w , 179, 374
 cap product, 393
 Cauchy formula
 for Schubert polynomials,
 216–218, 237, 280
 for Schur functions, 59, 151
 cell decomposition, 60, 332, 400–401
 Białynicki-Birula theorem, 81
 chain, 346
 Chang-Skjelbred theorem, 99, 117
 character
 direction of, 106
 of Borel group, 24
 of invariant curve, 104
 of torus, 29
 parallel, 106, 369
 primitive, 105
 character group, 29
 characteristic class, 441–445
 Chern class, 18, 403–405
 equivariant, 18–20
 of representation, 21
 properties of, 19, 403–405
 Chevalley formula, 371–374, 390
 for G/B , 371
 for G/P , 373
 for Grassmannian, 146–147
 Chevalley-Monk formula, 180, 190
 Chevalley-Pieri formula, 146–147,
 158
 Chinese remainder theorem, 71
 Chow envelope, 443
 Chow group, 401
 equivariant, 332
 of classifying space, 27
- circle group
 cohomology of, 2
 classifying space, ix
 as base of Borel construction, 1
 as base of universal principal
 bundle, 14
 co-isotropic subspace, 244
 cohomology, 393–396
 bivariant, 413
 Čech-Alexander-Spanier, 407
 compact support, 395
 reduced, 395
 compact group, 68, 297–300, 353
 complexification, 297
 complete conics, 85, 89–97
 as blowup, 89–90
 fixed points, 92–95
 moduli space, 90
 tangent weights, 93–94
 complex analytic space, 397
 quotient by complex group, 27
 cone
 Spec of graded algebra, 333
 convex, 121
 dual, 121
 normal, 335
 tangent, 337
 convolution, 322–327
 and divided difference operators,
 323
 of Schubert classes, 325
 coroot, 282
 cup product, 393
- $D_w(F_\bullet \cap E^\bullet)$, 211
 $D_w^\infty(F_\bullet \cap E^\bullet)$, 232
 D_r , 196
 $D_r(\varphi)$, 206
 $D_w(F_\bullet \rightarrow E_\bullet)$, 211
 D_J , 307
 D_α , 308

- D_v , 308
- \mathbb{D}_w^∞ , 232
- \mathbb{D}_r , 206
- \mathbb{D}_r^G , 209
- ∂_α , 317
- Δ_P , 290
- $\Delta_\lambda(c)$, 45
- deformed group ring, 131, 132
- degeneracy locus, 7, 193–218
 - Cohen-Macaulay, 202, 208, 218
 - equivariant class, 136, 200–204, 209
 - for symmetric map, 241–242, 268–270
 - for vector bundle map, 206
 - irreducibility, 197–200
 - Lagrangian, 269, 275
 - universal, 208
- degeneration, 386–388
- Dehn-Sommerville relations, 130
- Demazure product, 349
- desingularization, 348–352
- determinantal ideal, 205, 206
- diagonal embedding
 - and Poincaré duality, 41, 389
- diagonal trick, 234, 236, 275
- diagonalizable group, 72
 - fixed points of, 72, 83, 99, 111
- diagram
 - of permutation, 204–205, 218, 228
 - of signed permutation, 279
- dimension function, 161, 260
- divided difference operator, 174–178, 189, 233, 271–272, 307–328
 - action on Schubert classes, 307–308, 322
 - compatible with localization, 311–316
 - independent of reduced word, 175, 309, 318
 - left- and right-handed, 321, 323
 - Leibniz formula, 175, 312, 314, 317
 - via Bott-Samelson variety, 351
 - via correspondence, 309–310
- dual curve, 89
- duality
 - between Schur determinants, 45
 - Grassmann, 48, 149–152, 214–216
 - of Schubert classes in G/B , 362–364, 366, 376
 - of Schubert polynomials, 204, 212–216, 237, 280
- $\mathbb{E}G$, 1
- $\varepsilon_p^T(X)$, 340
- effective
 - class, 379, 380, 383
 - invariant cycle, 386–388
- equivariant cohomology, ix
 - definition, 14
 - for free action, 35–36
 - for trivial action, 35
 - functoriality, 16, 30–32
 - homotopy invariance, 32–34
- equivariant formality, ix, 80–83, 117
- equivariant Hilbert polynomial, 343
- equivariant line bundle, 29, 302, 316–318
 - and divided difference operator, 317
 - and Schubert divisor in G/B , 374
- equivariant map, 31
- equivariant multiplicity, 338–342
 - of Schubert variety, 364–367
 - properties, 340–341
- equivariant vector bundle, 18–19
- essential set, 204–205, 218, 228, 279
- excision, 394
- $F(W, Q)$, 311
- $F(W, \Lambda)$, 311

- $\mathbf{Fl}(\mathbf{d}, V)$, 49
- Fl^∞ , 226
- $\text{Fr}(E)$, 11
- $\mathbf{Fl}_\omega(V)$, 245
- $Fl_\omega(V)$, 245
- Fl_ω^∞ , 253
- fan, 121
 - normal to polytope, 122
 - simplicial, 132
- fiber bundle, 2, 401–403, 441
 - in Borel construction, 2–5
 - in localization, 5
 - Poincaré duality, 40–41
- finite cover, 38
- finite group
 - cohomology of, 25
- five conics, 85
- fixed point
 - attractive, 102–104
 - isolated, 69, 102, 106
 - nondegenerate, 337
 - restriction to, 4, 5, 67
 - singular, 106
- flag bundle, 12, 47–50, 210
 - as tower of Grassmann bundles, 49, 245
 - complete, 49
 - constructed from frame bundle, 12
 - isotropic, 245–247
 - partial, 49
- flag variety, 7, 161–190
 - as approximation space, 24
 - cell decomposition, 163
 - cohomology of, 51
 - fixed points, 163–165
 - generalized, 287
 - tangent weights, 164
 - tautological bundle, 49
- forgetful homomorphism, 3
- four lines, 78–80
- frame bundle, 11
- free action, 35
- fundamental class, 18, 395, 397–401
 - equivariant, 18–20, 331
 - for limit of subvarieties, 409
 - in Borel-Moore homology, 331
 - properties of, 19
 - pullback, 399
 - pushforward, 406
- fundamental weight, 283, 315
- Γ , 248, 421
- $\Gamma^{(n)}$, 248, 421
- \mathfrak{g}_β , 283
- $\mathbf{Gr}(d, V)$, 47
- Gr^∞ , 224
- G/B , 287–290
 - cohomology of, 302–304
 - fixed points, 287
- G/P , 290–296
 - fixed points, 291
- general linear group
 - cohomology of, 21–22
- Giambelli formula, 136, 158, 174, 193–195, 218, 242, 253
- GKM theorem, 99
- GKM variety, 114
- graded-commutative ring, 393, 441
- graph, 194, 201, 212, 242, 249, 269
- graph Schubert variety, 236
- Grassmann bundle, 12, 47–49
 - constructed from frame bundle, 12
 - tautological quotient bundle on, 13
 - tautological subbundle on, 13
- Grassmann duality, 48
- Grassmannian, 133–159
 - as approximation space, 22
 - cell decomposition, 133–134
 - cohomology of, 21, 53–57
 - fixed points, 71–72, 74

- tangent bundle, 48
- tangent weights, 72
- tautological bundles, 48
- group cohomology, 26
- Gysin homomorphism, 405–406
 - equivariant, 37–40
 - for Borel-Moore homology, 330
 - in localization theorem, 71, 75–76, 83
- Gysin sequence, 28, 101
- $H_G^*(X)$, 1
- $H_G^*(X, Y)$, 37
- $\eta_p X$, 338
- $h_p(x|y)$, 141
- Hilbert series, 129
- Hom bundle, 207
- homogeneous space, 6, 281–305, 378, 379
 - cohomology of, 35
- homology, 393–396
 - Borel-Moore, 396–397
 - equivariant, xii, 329–333
- Hurewicz isomorphism, 407
- infinite flag variety, 221–239
 - cohomology of, 223, 227
- infinite Grassmannian, 224–239
 - cohomology of, 225–226
- infinite isotropic flag variety, 253
- infinite Lagrangian Grassmannian, 253
- integration formula, 5, 74–80, 83
 - computes divided difference operator, 312
 - computes structure constants, 373
 - divisibility condition, 77, 115
 - for Bott-Samelson varieties, 355
 - in enumerative geometry, 96–97
- interpolation
 - characterizing double Schur polynomial, 141, 158
 - characterizing Schubert polynomials, 236–237
 - determining cohomology class, 139, 158
- intersection multiplicity, 378, 399
- invariant curve, 104–107
 - character of, 104, 114
 - criterion for finitely many, 106
 - in G/P , 296–297, 312
 - in Bott-Samelson variety, 350
 - in flag variety, 166–167
 - in Schubert variety, 297, 364
- inversion, 168, 284
- irreducible factor, 109–111
- isotropic flag, 243
- isotropic flag variety, 245–247
 - as flag bundle over Lagrangian Grassmannian, 249
 - cohomology of, 246–247, 251–253
 - fixed points, 260
 - tangent weights, 260
 - tautological bundle, 246
- isotropic subspace, 242–245
- Jacobi-Trudi determinant, 44–45, 141, 142
- Joseph polynomial, 343
- Jouanolou’s trick, 443
- k_w , 161
- Kempf-Laksov formula, 136–138, 142, 144, 158, 195, 233
 - dual, 150
- Kleiman-Bertini transversality, 6, 378–379, 390
- Kronecker isomorphism, 396
- Künneth theorem, 35, 394, 401
 - decomposition of the diagonal, 41–42, 59, 217

- $LG(V)$, 245
 LG^∞ , 253
 Λ_G , 1
 Λ_{rt} , 377
 \mathcal{L}_λ , 302
 $\ell(w)$, 168, 256, 284
 Lagrangian Grassmannian, 245, 248–251
 cohomology of, 249–253
 fixed points, 257–259
 tangent weights, 259
 Lagrangian subspace, 243
 Lefschetz trace formula, 83
 Leibniz formula, 175, 272, 312, 314, 317
 length
 of partial permutation, 198
 of permutation, 168
 of signed permutation, 256
 of strict partition, 255
 of Weyl group element, 284
 Leray-Hirsch theorem, 401–403
 for comparing approximation spaces, 15
 for equivariantly formal spaces, 81
 linear algebraic group, 281–286, 304
 semisimple, 281
 Littlewood-Richardson coefficient, 145, 152
 Littlewood-Richardson rule, 152–157
 equivariant, 153–157, 159
 local class, 338
 localization, 4–5, 67–84, 99–118
 Chang-Skjelbred theorem, 109–110
 divisibility condition, 107–109, 115, 117, 139
 for Borel-Moore homology, 336–338
 for Bott-Samelson variety, 352–356
 for nonsingular varieties, 70–71, 73–74
 for Schubert variety, 359–362
 general theorem, 99–102, 109, 116
 GKM theorem, 112, 116, 121
 image theorem, 107–117
 integration formula, 5, 74–80
 long exact sequence, 37, 331, 394, 397
 longest element, 168, 256, 284, 291

 M_{rt} , 282
 M_{wt} , 283
 matching, 417
 maximal coset representative, 181, 291
 Mayer-Vietoris sequence, 36, 394
 Milnor construction, 25, 28
 minimal coset representative, 181, 184, 291
 Molev-Sagan theorem, 148
 moment graph, 77, 97, 114
 convexity, 117
 moment map, 117
 Monk formula, 180, 190
 multidegree, 343
 multiplicative group
 cohomology of, 2, 17

 n_β^α , 285
 Nägelsbach-Kostka formula, 44
 nil-Coxeter algebra, 326
 nil-Hecke algebra, 309, 325, 326
 normal cone, 335
 deformation to, 339, 413
 specialization to, 336, 414

 Ω_l , 135
 Ω_l° , 133
 Ω_λ , 134
 Ω_λ° , 133
 $\tilde{\Omega}_\lambda$, 143

- $\widetilde{\Omega}_\lambda^\circ$, 143
- Ω_w^∞ , 227
- Ω_w , 162
- Ω_w° , 162
- $\Omega_{[w]}$, 181
- one-line notation, 161, 256
- opposite Borel subgroup, 282
- opposite flag, 142, 244
- orientation class, 395, 415
- orthogonal group, 25, 27
- orthogonal space, 243

- $PP^*(\Sigma)$, 130
- Φ^w , 319
- φ_v , 360
- ψ_v , 314
- p_I , 134
- p_λ , 134
- p_w , 163, 287
- $p_{[w]}$, 291
- $p_{\underline{v}}$, 346
- p_v^w , 319
- parabolic subgroup, 290–296
 - cohomology of, 34
 - maximal, 290, 295
 - minimal, 290, 295, 308
 - stabilizer of point in
 - Grassmannian, 56
- partial flag variety, 181–183, 290–296
- partition, 43
 - complementary, 58
 - conjugate, 44, 195, 215
 - dual, 143, 257
 - strict, 247, 248, 255–257, 421, 425
- permutation, 161
 - Grassmannian, 188, 215, 295
 - matrix, 161, 198
 - partial, 197–200
 - signed, 256–257
 - vexillary, 236
- Pfaffian, 248, 253, 417–418
 - formula for degeneracy locus, 269–270
 - Laplace expansion, 418, 419
 - multi-linearity, 418, 427
 - multi-Schur, 266–267
 - Schur’s identity, 418
- piecewise polynomial function, 130–131
 - in equivariant Chow cohomology, 132
- Pieri rule, 64, 146–147
- Plücker embedding, 48
- Poincaré dual basis, 40, 41, 396
 - for G/B , 290
 - for G/P , 294
 - for Bott-Samelson variety, 352–355
 - for flag variety, 171–172
 - for Grassmannian, 58–60, 142–144
 - for isotropic flag variety, 263
 - from transverse subvarieties, 61
- Poincaré duality, 40–42, 395
 - in Schubert basis, 142–144, 172, 263, 290, 294
 - toric varieties, 129
- Poincaré isomorphism, 395
- polytope, 122
 - f -numbers, 130
 - h -numbers, 130
 - simple, 122
- positivity
 - in cohomology of Grassmannian, 153
 - in Schubert calculus, 6, 63, 179, 359, 377–390
 - in Schur expansion, 47, 64
 - of polynomial in Chern classes, 46
- principal bundle, 11–14
 - associated to vector bundle, 12
 - locally trivial, 13, 305
 - universal, 14, 442

- projection formula, 38, 327, 358
- projective bundle, 12
 - cohomology of, 4, 26
 - constructed from frame bundle, 12
- projective line
 - as T -curve, 104
 - cohomology of, 39
 - localization, 107
- projective space
 - as homogeneous space, 36
 - cohomology of, 36, 50–51
 - equivariant cohomology of, 26
 - fixed points, 67
 - localization, 67, 107–109
 - T -curves, 105
- proper intersection, 378, 399
- pullback, 31
- $Q_\lambda(c)$, 248, 419
- $Q_\lambda(q|y)$, 424
- Q -polynomial, 247–248, 418–430
 - and cohomology of Lagrangian Grassmannian, 250
 - basis for Γ , 421
 - double, 266–268, 278, 423–430
 - interpolation property, 267, 425–428
 - Pfaffian formula, 419
 - raising operator formula, 420
 - represents Schubert class, 267–268, 429
 - tableau formula, 422–423
- quaternionic Grassmannian, 299
- Quillen-Suslin theorem, 127
- R^+ , 282
- R_P^+ , 290
- r_w , 161
- raising operator, 420–421
- rank condition, 7, 162, 196, 204–205, 211
- rank function, 161, 196–200, 202, 206
- reduced expression, 170, 284
- reduced word, 284, 348, 349, 358
- reductive group, 68, 281
- reflection, 282
 - simple, 284
- representation, 20
 - dual, 215
 - of GL_n , 46
 - of torus, 20
 - standard, 20
- restriction, *see* localization
- Richardson variety, 172–174, 190
- root, 282
- root lattice, 282–284, 315
- root subgroup, 283
- $S_m^{(n)}$, 184
- $\mathfrak{S}_w(x; y)$, 7
- $\text{Symm}(x)$, 226
- σ_λ , 144
- σ_w , 172
- $\tilde{\sigma}_\lambda$, 144
- $\tilde{\sigma}_w$, 172
- s_β , 282
- $s_\lambda(x|y)$, 140
- $s_\lambda(x)$, 43
- $S_w(c; x; y)$, 229
- $S_w^C(c; x; y)$, 272
- Schubert basis, 63
 - for G/B , 289
 - for G/P , 293
 - for flag variety, 163, 182
 - for Grassmannian, 135
 - for isotropic flag variety, 263
 - for projective space, 63
- Schubert calculus, 6, 133–159
 - equivariant, 63, 145–149, 152–157
- Schubert cell
 - in G/B , 287
 - in G/P , 292

- in flag variety, 162–165
- in Grassmannian, 133–135
- in isotropic flag variety, 260–262
- in partial flag variety, 181
- opposite, 143, 171, 261
- Schubert class, 6
 - interpolation property, 139, 265, 277
 - restriction to fixed point, 138–139, 165, 277, 314–316, 359–362
 - stable, 184–185, 223–224, 227–229, 263–265
- Schubert divisor, 361, 374
 - restriction to fixed point, 179, 315
- Schubert polynomial, 6–8, 174–179, 189, 271–278
 - back-stable, 236
 - basis for polynomial ring, 186–187, 231, 276
 - characterized by interpolation, 188, 236–237, 276–277
 - duality property, 204, 210
 - for infinite flag variety, 229, 280
 - for isotropic flag variety, 271–275
 - represents degeneracy locus, 8, 202, 207, 232–235
 - represents Schubert class, 7, 176, 182, 185, 273
 - stability, 183–186, 231, 235, 271, 279
 - structure constants, 187, 217–218
 - universal property, 211–212
- Schubert variety
 - as degeneracy locus, 194, 202
 - in G/B , 287–288
 - in G/P , 293
 - in flag bundle, 163
 - in flag variety, 162–165
 - in Grassmannian, 134–135
 - in infinite flag variety, 227–232
 - in isotropic flag variety, 260–262
 - in Lagrangian Grassmannian, 265
 - in partial flag variety, 181
 - is closure of Schubert cell, 169–170
 - is Cohen-Macaulay, 190
 - matrix, 218
 - nonsingular in codimension one, 367, 372
 - nonsingularity criterion, 364–368
 - opposite, 143, 171, 261
- Schur Q -function, 247, 253, 270, 419–423
- Schur determinant, 45, 194, 254
 - basis for cohomology of flag variety, 58
 - basis for cohomology of Grassmannian, 54
 - basis for polynomial ring, 56
 - multi-, 136, 150
- Schur function, 43–47
 - as sum over tableaux, 44
 - basis for symmetric functions, 45, 56
 - double, 140–142, 158
 - represents Schubert class, 142
- Schur module, 46
- Segre class, 333–335
- Segre variety, 195
- self-intersection formula, 38, 73, 138, 339
- semisimple group, 281
 - adjoint, 284
 - simply connected, 284
- shelling, 123
- signed permutation, 255–257
 - Grassmannian, 257, 278
- simple transposition, 170
- simply connected group, 284
- slice theorem, 68–69, 82, 106
- smooth morphism, 399

- special group, 27, 305
- special linear group, 22, 70
- specialization homomorphism, 413–416
- spherical variety, 97
- split Grassmannian, 23
- splitting principle, 23, 404
- stack, 8
- standard flag, 162, 244
- Stanley-Reisner ring, 125–130, 132
- Steiner’s problem, 85, 97
- Stiefel manifold, 11
- structure constant, 6
 - for G/P , 371–390
 - for flag variety, 179–182
 - for Grassmannian, 145–149
 - for projective space, 63, 64
 - inductive characterization, 148–149, 158, 180, 374–377
- submersion, 399
- subword, 170
- Sumihiro’s theorem, 100, 117
- support
 - of cohomology class, 206
- Sylvester identity, 77, 83
- symmetric function
 - complete homogeneous, 44, 141
 - elementary, 44
 - ring of, 45, 226
 - Stanley, 237, 280
 - super-, 225–226, 232
- symmetric group, 285
- symmetric map, 241, 249
- symplectic form, 242
- symplectic group, 244
 - cohomology of, 24, 299–300
- τ_w , 320
- T -curve, 104
- tangent cone, 337
 - to Schubert variety, 369
- tangent weight
 - relatively prime, 112
 - to G/B , 289
 - to G/P , 291
 - to Bott-Samelson variety, 347
 - to flag variety, 164
 - to Grassmannian, 138
 - to invariant curve, 312
 - to isotropic flag variety, 260
 - to Lagrangian Grassmannian, 259
 - to Schubert variety, 138, 165, 262, 289, 293
- Thom class, 402
- Thom isomorphism, 402
- toric variety, 121–132, 350
 - cohomology of, 123–125
 - invariant divisors, 124
- torus, 29–30
 - cohomology of, 2
 - maximal, 281
- transversality
 - for flag bundles, 380–383
 - Kleiman-Bertini, 6, 378–383
 - of opposite Schubert varieties, 144, 262
 - Poincaré dual bases, 61
- trivial action, 35
- tubular neighborhood, 69
- U_p , 291
- U_β , 283
- U_σ , 121
- $U^-(w)$, 165
- $U(w)$, 286
- unipotent group, 34, 281
- unipotent radical, 34, 282, 291
- universal coefficient theorem, 394
- universal principal bundle, 14
- $V(\tau)$, 122
- V_λ , 46

- Veronese surface, 85
 - in space of conics, 89
 - tangent weights, 91
- W_P , 291
- \dot{w} , 284
- \hat{w} , 197
- $w(\underline{\alpha})$, 348
- w^{\max} , 181, 291
- w^{\min} , 181, 291
- w_{\circ} , 168
- w_{\circ}^P , 291
- weight diagram, 91
- weight lattice, 282–284
- Weyl group, 284–286, 291
 - action on cohomology of G/B , 313, 318–320
 - dot and star actions, 327
 - invariants, 300–304
 - left- and right-handed actions, 320, 323, 327
 - right action on G/B , 298–299, 318–320, 356
- Whitney formula, 19, 403
 - for relations in cohomology, 50, 52, 250, 251
- $X(\Sigma)$, 121
- $X(\underline{\alpha})$, 346
- $X(w)^{\circ}$, 287
- $X[w]^{\circ}$, 292
- $x(I)$, 347
- $x(w)$, 289
- $Y(w)^{\circ}$, 287
- $Y[w]^{\circ}$, 292
- $y(I)$, 352
- $y(w)$, 289
- Yamanouchi word, 153
- Young diagram, 43
 - shifted, 255, 265, 422
- Young subgroup, 181
- Young tableau
 - reverse barred ν -bounded, 154
 - semistandard, 43–44, 47, 140, 153, 167
 - shifted primed, 423
- $Z(\underline{\alpha})$, 345
- $Z(v)$, 309