

BIBLIOGRAPHY

REFERENCES

- [Ara86] A. Arabia, “Cycles de Schubert et cohomologie équivariante de K/T ,” *Invent. Math.* **85** (1986), no. 1, 39–52.
- [Ara89] A. Arabia, “Cohomologie T -équivariante de la variété de drapeaux d’un groupe de Kac-Moody,” *Bull. Soc. Math. France* **117** (1989), no. 2, 129–165.
- [Ber-Gel-Gel73] I. Bernstein, I. Gelfand, and S. Gelfand, “Schubert cells and cohomology of the spaces G/P ,” *Russian Math. Surveys* **28** (1973), 1–26.
- [Bil97] S. Billey, “Kostant polynomials and the cohomology ring for G/B ,” *Duke Math. J.* **96** (1999), no. 1, 205–224.
- [Bil-Joc-Sta93] S. Billey, W. Jockusch, and R. P. Stanley, “Some combinatorial properties of Schubert polynomials,” *J. Algebraic Combin.* **2** (1993), no. 4, 345–374.
- [Bil-Lak00] S. Billey and V. Lakshmibai, *Singular loci of Schubert varieties*, Birkhäuser, 2000.
- [Bor60] A. Borel et al., *Seminar on transformation groups*, Annals of Mathematics Studies, No. 46, Princeton, 1960.
- [Bor-Hae61] A. Borel and A. Haefliger, “La classe d’homologie fondamentale d’un espace analytique,” *Bull. Soc. Math. France* **89** (1961), 461–513.
- [Bott-Tu95] Bott, R. and L. Tu. *Differential Forms in Algebraic Topology*, Springer, 1995.
- [Bou81] N. Bourbaki, *Groupes et Algèbres de Lie, Chp. IV–VI*, Masson, Paris, 1981.
- [Bra-Chen-Sot07] T. Braden, L. Chen, and F. Sottile, “The equivariant Chow rings of quot schemes,” math.AG/0602161.
- [Bri98] M. Brion, “Equivariant cohomology and equivariant intersection theory,” notes by Alvaro Rittatore, in *Representation theories and algebraic geometry (Montreal, PQ, 1997)*, 1–37, Kluwer, 1998.
- [Bri00] M. Brion, “Poincaré duality and equivariant (co)homology,” *Michigan Math. J.* **48** (2000), 77–92.
- [BKTY04] A. Buch, A. Kresch, H. Tamvakis, and A. Yong, “Schubert polynomials and quiver formulas,” *Duke Math. J.* **122** (2004), no. 1, 125–143.
- [Buch-Rim04] A. Buch and R. Rimányi, “Specializations of Grothendieck polynomials,” *C. R. Acad. Sci. Paris, Ser. I* **339** (2004), 1–4.
- [Buch-Rim06] A. Buch and R. Rimányi, “A formula for non-equivariant quiver orbits of type A ,” ...
- [Cha-Skj74] T. Chang and T. Skjelbred, “The topological Schur lemma and related results,” *Ann. of Math.* **100** (1974), 307–321.
- [Che94] C. Chevalley, “Sur les décompositions cellulaires des espaces G/B ,” *Proc. Sympos. Pure Math.* **56** 1–23, Amer. Math. Soc., Providence, 1994.
- [Cos07] I. Coskun, “A Littlewood-Richardson rule for two-step flag varieties,” available at <http://www-math.mit.edu/~coskun/>
- [Cos-Vak06] I. Coskun and R. Vakil, “Geometric positivity in the cohomology of homogeneous spaces and generalized Schubert calculus,” math.AG/0610538.
- [Dem74] M. Demazure, “Désingularisation des variétés de Schubert généralisées,” *Ann. Sci. cole Norm. Sup. (4)* **7** (1974), 53–88.

Date: May 17, 2007.

- [Eva05] L. Evain, “The Chow ring of punctual Hilbert schemes of toric surfaces,” [math.AG/0503697](#).
- [Feh-Rim02] L. Fehér and R. Rimányi, “Classes of degeneracy loci for quivers—the Thom polynomial point of view,” *Duke Math. J.* **114** (2002), 193–213.
- [Feh-Rim03] L. Fehér and R. Rimányi, “Schur and Schubert polynomials as Thom polynomials—cohomology of moduli spaces,” *Cent. European J. Math.* **4** (2003), 418–434.
- [Fom-Kir96a] S. Fomin and A. N. Kirillov, “The Yang-Baxter equation, symmetric functions, and Schubert polynomials” in *Proceedings of the 5th Conference on Formal Power Series and Algebraic Combinatorics* (Florence, 1993) and *Discrete Math.* **153** (1996), no. 1-3, 123–143.
- [Fom-Kir96b] S. Fomin and A. N. Kirillov, “Combinatorial B_n -analogues of Schubert polynomials,” *Trans. Amer. Math. Soc.* **348** (1996), no. 9, 3591–3620.
- [Ful92] W. Fulton, “Flags, Schubert polynomials, degeneracy loci, and determinantal formulas,” *Duke Math. J.* **65** (1992), no. 3, 381–420.
- [Ful97] W. Fulton, *Young Tableaux*, Cambridge Univ. Press, 1997.
- [Ful98] W. Fulton, *Intersection Theory*, second edition, Springer, 1998.
- [Ful-Har91] W. Fulton and J. Harris, *Representation Theory: A First Course*, Springer-Verlag, 1991.
- [Ful-Laz83] W. Fulton and R. Lazarsfeld, “Positive polynomials for ample vector bundles,” *Ann. Math.* **118**, No. 1 (1983), 35–60.
- [Ful-Pra98] W. Fulton and P. Pragacz, *Schubert Varieties and Degeneracy Loci*, Springer, 1998.
- [Ful-Woo04] W. Fulton and C. Woodward, “On the quantum product of Schubert classes,” *J. Algebraic Geom.* **13** (2004), 641–661.
- [Gor-Kot-Mac98] M. Goresky, R. Kottwitz, and R. MacPherson, “Equivariant cohomology, Koszul duality, and the localization theorem,” *Invent. Math.* **131** (1998), no. 1, 25–83.
- [Gra01] W. Graham, “Positivity in equivariant Schubert calculus,” *Duke Math. J.* **109** (2001), 599–614.
- [Gre-Har81] M. Greenberg and J. Harper. *Algebraic Topology*, Perseus, 1981.
- [Gri-Har78] P. Griffiths and J. Harris, *Principles of Algebraic Geometry*, Wiley, 1978.
- [EGA^I] A. Grothendieck and J. Dieudonné, *Elements de Geometrie Algebrique I*, Springer ed.
- [Hat02] A. Hatcher, *Algebraic Topology*, Cambridge, 2002.
- [Hum90] J. Humphreys, *Reflection Groups and Coxeter Groups*, Cambridge, 1990.
- [Hus75] D. Husemoller, *Fibre Bundles*, Springer-Verlag, 1975.
- [Ive72] B. Iversen, “A fixed point formula for action of tori on algebraic varieties,” *Invent. Math.* **16** (1972) 229–236.
- [Kem-Lak74] G. Kempf and D. Laksov, “The determinantal formula of Schubert calculus,” *Acta Math.* **132** (1974), 153–162.
- [Knu-Mil05] A. Knutson and E. Miller, “Gröbner geometry of Schubert polynomials,” *Ann. Math.*, **161** (2005), no. 3, 1245–1318.
- [Knu-Tao03] A. Knutson and T. Tao, “Puzzles and (equivariant) cohomology of Grassmannians,” *Duke Math. J.* **119** (2003), no. 2, 221–260.
- [Kos-Kum86] B. Kostant and S. Kumar, “The nil Hecke ring and cohomology of G/P for a Kac-Moody group G ,” *Adv. Math.* **62** (1986), 187–237.
- [Kum02] S. Kumar, *Kac-Moody groups, their flag varieties and representation theory*, Birkhäuser, 2002.
- [Las-Sch82] A. Lascoux and M.-P. Schützenberger, “Polynômes de Schubert,” *C.R. Acad. Sci. Paris Sér. I Math.* **294** (1982), 447–450.
- [Lef30] S. Lefschetz, *Topology*, Amer. Math. Soc. Colloquium Publications, Vol. XII, 1930.

- [Li-Qin-Wang04] W.-P. Li, Z. Qin, W. Wang, “The cohomology rings of Hilbert schemes via Jack polynomials,” *math.AG/0411255*.
- [Mac91] I. G. Macdonald, *Notes on Schubert Polynomials*, Publ. LACIM 6, Univ. de Québec à Montréal, Montréal, 1991.
- [Mac92] I. G. Macdonald, “Schur functions: theme and variations,” *Séminaire Lotharingien de Combinatoire (Saint-Nabor, 1992)*, 5–39, *Publ. Inst. Rech. Math. Av.* **498**, Strasbourg, 1992.
- [Mac95] I. G. Macdonald, *Symmetric functions and Hall polynomials*, 2nd edition, Oxford University Press, Oxford, 1995.
- [Mil-Sta74] J. W. Milnor and J. D. Stasheff. *Characteristic Classes*, Princeton Univ. Press, 1974.
- [Miy52] H. Miyazaki, “A note on paracompact spaces,” *Tohoku Math. J. (2)*, **4** (1952), 88–92.
- [Mol07] A. Molev, “Littlewood-Richardson polynomials,” *math.AG/0704.0065*.
- [Mol-Sag99] A. Molev and B. Sagan, “A Littlewood-Richardson rule for factorial Schur functions,” *Trans. Amer. Math. Soc.* **351** (1999), no. 11, 4429–4443.
- [GIT] D. Mumford, J. Fogarty, and F. Kirwan, *Geometric Invariant Theory*, third enlarged edition, Springer-Verlag, 1994.
- [Nie06] M. A. Nieper-Wisskirchen, “Equivariant cohomology, symmetric functions and the Hilbert schemes of points on the total space of the invertible sheaf $\mathcal{O}(-2)$ over the projective line,” *math.AG/0610834*.
- [Oko96] A. Okounkov, “Quantum immanants and higher Capelli identities,” *Transformation Groups* **1** (1996), 99–126.
- [Oko-Ols97] A. Okounkov and G. Olshanski, “Shifted Schur functions,” *Algebra i Analiz* **9** (1997), no. 2, 73–146; translation in *St. Petersburg Math. J.* **9** (1998), no. 2, 239–300.
- [Pra91] P. Pragacz, “Algebro-geometric applications of Schur S- and Q-polynomials,” in *Topics in Invariant Theory, Séminaire d’Algèbre Dubreil-Malliavin 1989-1990* (M.-P. Malliavin ed.), Springer Lect. Notes in Math. **1478** (1991), 130–191.
- [Sha94] I. Shafarevich, *Basic Algebraic Geometry 1*, second edition, Springer-Verlag, 1994.
- [Spa66] E. Spanier, *Algebraic Topology*, McGraw-Hill, 1966.
- [Sta99] R. P. Stanley, *Enumerative Combinatorics*, Volume 2, with appendix by S. Fomin, Cambridge, 1999.
- [Ste93] J. Stembridge, “Coxeter-Yang-Baxter Equations?” unpublished notes, available at <http://www.math.lsa.umich.edu/~jrs/papers/cybs.ps.gz>.
- [Tho-Yong06] H. Thomas and A. Yong, “A combinatorial rule for (co)miniscule Schubert calculus,” *math.AG/0608276*.
- [Vak03] R. Vakil, “A geometric Littlewood-Richardson rule,” preprint *math.AG/0302294*, *Annals of Math.*, to appear.
- [Wil04] M. Willems, “Cohomologie et K-théorie équivariantes des variétés de Bott-Samelson et des variétés de drapeaux,” *Bull. Soc. Math. France* **132** (2004), 569–589.
- [Win02] R. Winkel, “A derivation of Kohnert’s algorithm from Monk’s rule,” *Sém. Lothar. Combin.* **48** (2002), Art. B48f.