

Abbott: 2.2.2, 2.2.3, 2.2.5, 2.2.6

2.2.2 Verify, using the definition of convergence of a sequence, that the following sequences converge to the proposed limit.

(a) $\lim_{n \rightarrow \infty} \frac{2n+1}{5n+4} = \frac{2}{5}$.

(b) $\lim_{n \rightarrow \infty} \frac{2n^2}{n^3+3} = 0$.

(c) $\lim_{n \rightarrow \infty} \frac{\sin(n^2)}{\sqrt[3]{n}} = 0$.

2.2.3 Describe what we would have to demonstrate in order to disprove each of the following statements.

- (a) At every college in the United States, there is a student who is at least seven feet tall.
- (b) For all colleges in the United States, there exists a professor who gives every student a grade of either A or B.
- (c) There exists a college in the United States where every student is at least six feet tall.

2.2.5 Let $\lfloor x \rfloor$ be the greatest integer less than or equal to x . For example, $\lfloor \pi \rfloor = 3$ and $\lfloor 3 \rfloor = 3$. For each sequence, find $\lim a_n$ and verify it with the definition of convergence.

(a) $a_n = \lfloor 5/n \rfloor$,

(b) $a_n = \lfloor (12 + 4n)/3n \rfloor$.

Reflecting on these examples, comment on the statement following Definition 2.2.3 that “the smaller the ϵ -neighborhood, the larger N may have to be.”

2.2.6 Prove Theorem 2.2.7. To get started, assume $(a_n) \rightarrow a$ and also that $(a_n) \rightarrow b$. Now argue $a = b$.