

Parity

Def: Let nez be an integer. Then () n is <u>even</u> if n=2k for some k &2. ②n is odd if n=2l+1 for some leZ

These are 3 statements!

Thm: Every integer is even or odd. Proof: Let P(n) be "n is even or n is odd." We will first prove (VnEIN) P(n) by induction. Base Case: When n=1, we have | = 2(0) + | proving that I is odd. So P(1) is true. <u>Inductive Step</u>: Let nell and assume P(n) is true. That is, n is even or n is odd. <u>Casel</u>: n is even. Then n=2h for some keZ. Thus, n+1 = 2k + 1 is odd, proving P(n+1) is true.

Case 2: n is odd. Then
$$n=2l+1$$

for some $l \in \mathbb{Z}$. Thus,
 $n+l = (2l+1)+1 = 2l+2$
 $= 2(l+1)$.
Since $l+1 \in \mathbb{Z}$, this shows
 $n+1$ is even. So $P(n+1)$ is true.

Thus,
$$P(n+1)$$
 is the in both
cases. This completes the inductive
step.
We conclude that $P(n)$ is the
for each $n \in N$.

It remains to prove P(n) for $n \leq 0$.

$$\frac{\text{Zero}}{\text{is frue}}$$
: $O=2(0)$ is even, so $P(0)$ is frue.

Negatives: Every negative integer
is of the form -n, where nell.
Thus, it suffices to prove

$$P(n) \Longrightarrow P(-n)$$

for each nell.
So assume $P(n)$ is true.
Case 1: n is even. Then n=2k
for some keZ. Thus,
 $-n = -2k = 2(-k)$
is even, since $-k \in \mathbb{Z}$.
Case 2: n is odd. Then n=2l+1
for some $l \in \mathbb{Z}$. Now,
 $-n = -(2l+1) = -2l - 1$
 $= 2(-l-1) + 1$.
Since $-l - 1 \in \mathbb{Z}$, this shows -n
is odd
Thus, $P(-n)$ is true in both cases.

Since P(n) and $P(n) \Rightarrow P(-n)$ are both true for every nEN, ne conclude P(-n) is true for every nelV.

Ts there any integer which is
both even and odd?
This would imply I is even!
(Or, equivalently,
$$\frac{1}{2} \in \mathbb{Z}$$
.)
How do we know this isn't so?